



## EIGER 3

LED RECESSED ADJUSTABLE DOWNLIGHT  
DLD/EIGER3/AD

**DLD**  
**CONTRACT**



### Dimensions

272 x 98mm, H.112mm

### Cutout

260 x 86mm



- Removable light engine - simple twist mechanism
- IP20
- Adjustable tilt: 30°
- Adjustable rotation: 355°
- Complete with phase dimming driver
- Die-cast aluminium luminaire
- Forged aluminium heat sink
- Plastic PC reflector
- Bezel finish: white / black




# EIGER 3

LED RECESSED ADJUSTABLE DOWNLIGHT  
DLD/EIGER3/AD




## TECHNICAL OVERVIEW


Power	Current	Voltage	LED	IP Rating	Nominal Flux	CCT	Beam Angle	CRI	Dimming
3x 12.9W	350mA	36.7V	CITIZEN	IP20	3x 1456lm	2700°K	3x 20°/40°	90+	Yes
3x 12.9W	350mA	36.7V	CITIZEN	IP20	3x 1524lm	3000°K	3x 20°/40°	90+	Yes
3x 12.9W	350mA	36.7V	CITIZEN	IP20	3x 1576lm	4000°K	3x 20°/40°	90+	Yes



Fire rated canister diagram



3 x Adjustable IP20  
H. 112mm



272 x 98mm  
cutout: 260 x 86mm

## EIGER 3

LED RECESSED ADJUSTABLE DOWNLIGHT  
DLD/EIGER3/AD

**DLD**  
**CONTRACT**

### PRODUCT CODE CONSTRUCTION

EIGER 3 LED RECESSED ADJUSTABLE DOWNLIGHT

DLD/EIGER3/AD / [X] / [X] / [X] / [X] / [X]

FIRE RATED:

[--] [FRC3]

None 3x Fire rated canister

LIGHT COLOUR TEMPERATURE (CCT):

[27K] [30K] [40K]

2700°K 3000°K 4000°K

BEAM ANGLE:

[20D] [40D]

20° 40°

WATTAGE:

[13W]

12.9W

FINISH:

[WH] [BK]

White Black



01189 889414



enquiries@dld-contract.co.uk



dld-contract.co.uk

DLD Contract Ltd  
Unit 9 Brookside Business Centre  
Church Road  
Swallowfield  
Reading  
Berkshire  
RG7 1TH