



## ATLAS MINI

LED IP65 FIXED RECESSED DOWNLIGHT  
DLD/2418181

**DLD**  
**CONTRACT**



**Dimensions**  
Ø55mm, H.64mm

**Cutout**  
Ø48mm



- Removable light engine - simple twist mechanism
- IP65 - suitable for outdoor & bathroom installation
- Complete with phase dimming driver
- Die-cast aluminium luminaire

- Forged aluminium heat sink
- Plastic PC reflector
- Bezel finish: white | black
- Baffle finish: black | white

## ATLAS MINI

LED IP65 FIXED RECESSED DOWNLIGHT  
DLD/2418181


**DLD**  
**CONTRACT**

### TECHNICAL OVERVIEW

LED Consumption	6.3W
Current	350mA
CCT	3000K
Lumen <sup>*1</sup>	542lm
Beam angle	50°
CRI	90+
Insulation	Class I
Protection	IP65
Tilt	-
Rotation	-

### MATERIALS

Luminaire	Aluminium die-cast
Reflector	Plastic-PC
Heat Sink	Forged aluminium



H (m)	D (m)	E(lx)
	43°	
1.0	0.78	469
2.0	1.57	117
3.0	2.35	52
4.0	3.14	29
5.0	3.92	18

\*1. LUMEN : for LED chip test results based on Tc=85°C.

This is the ideal (maximum) lumen. This lumen information is from the LED supplier.

## ATLAS MINI

LED IP65 FIXED RECESSED DOWNLIGHT  
DLD/2418181

**DLD**  
**CONTRACT**

### PRODUCT CODE CONSTRUCTION

DLD/2418181 / [X] / [X] / [X] / [X] / [X]

LIGHT COLOUR TEMPERATURE (CCT):

**[30K]**

3000°K

BEAM ANGLE:

**[50D]**

50°

WATTAGE:

**[6W]**

6.3W

BAFFLE FINISH:

**[BK] [WH]**

Black White

BEZEL FINISH:

**[WH] [BK]**

White Black



01189 889414



[enquiries@dld-contract.co.uk](mailto:enquiries@dld-contract.co.uk)



[dld-contract.co.uk](http://dld-contract.co.uk)

DLD Contract Ltd  
Unit 9 Brookside Business Centre  
Church Road  
Swallowfield  
Reading  
Berkshire  
RG7 1TH